

Material Safety Data Sheets

ImPath Tubing Cleaning Kit Catalog#: 45702

MSDS

Tubing Clean 1 Tubing Clean 2

- Company Pathcom Systems Corp 6759 Sierra Ct. Suite# L Dublin, CA 94568
- Telephone 1-925-829-5500
- Facsimile 1-925-829-5598
- Email Address info@pathcomx.com



TUBING CLEAN 1

Page 1 of 6

Issued: 11/08/2012

Revision No: 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product: Catalog No.:

Tubing Clean 1 PC742-1

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Tubing Cleaning on Pathcom slide stainer

1.3. Details of the supplier of the safety data sheet

MANUFACTURER PathCom Systems, Inc. 6759 Sierra Ct. Ste#B Dublin, CA 94568

EMAIL ADDRESS info@pathcomx.com

DISTRIBUTOR Menarini Diagnostics LTD 405 Wharfedale Road, Winnersh-Workingham Berkshire RG415RA

1.4. Emergency telephone number Tel. 925-829-5500 (9 am-6 pm PST, M-F)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

| Physical and Chemical Hazards | |
|-------------------------------|--|
| Human health | |
| Environment | |
| Not classified | |

Classification (1999/45/EEC)

2.2. Label elements

| Contains | SULFURIC ACID |
|---------------------------------|---------------|
| Label In Accordance With (EC) N | No. 1272/2008 |

Corrosive

H314

H400

H303

H315

H319

H335

H402

P261



Signal word

Hazard statement(s)

Precautionary statement(s)

May cause respiratory irritation. Harmful to aquatic life Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P305+ P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Causes skin irritation

May be harmful if swallowed.

Causes serious eye irritation.

Not classified Not classified

Not classified

2.3. Other hazards None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS



TUBING CLEAN 1

Page 2 of 6



Issued: 11/08/2012

SODIUM HYPOCHLORITE

CAS-No.: 7681-52-9

EC No.:231-668-3

5-10%

Classification (EC 1272/2008)Classification (67/548/EEC)Skin Corr. 1BH314C;R31Aquatic Acute 1H400N;R50EUH031: Contact with acids liberates toxic gas. (Specific concentration limit: >= 5%)

SODIUM HYDROXIDE CAS-No.: 1310-73-2 Classification (EC 1272/2008) Skin corrosive; category 1A H314 Skin Irrit. 2; H315 Eye Irrit. 2; H319 <1% EC No.:215-185-5 Classification (67/548/EEC) Xi; R36/38

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues. If breathing stops, provide artificial respiration. Get medical attention immediately!

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing. Continue to rinse for at least 15 minutes. Obtain medical attention and bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

May cause coughing or mild irritation.

Ingestion May cause discomfort if swallowed.

Skin contact

Skin contact may cause redness and irritation.

Eye contact May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products None under normal conditions. Unusual Fire & Explosion Hazards

None.

5.3. Advice for firefighters

Special Fire Fighting Procedures No specific fire fighting procedure given.



TUBING CLEAN 1

Page 3 of 6



Issued: 11/08/2012

Protective Measures In Fire

Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of spray mist and contact with skin and eyes. Use protective gloves, goggles and suitable protective clothing. For personal protection, see section 8.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb spillage with suitable absorbent material. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Store at specified temperature. Refer to product label. Storage Class: Refer to product datasheet.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name:SODIUM HYDROXIDEWorkplace Exposure LimitUK - 8 hour TWA: 2 mg/m3

UK - 15 min. STEL: Not determined

8.2. Exposure controls

Protective equipment Impermeable gloves and safety glasses

Process conditions

Provide eyewash station.

Engineering measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of spray.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand protection

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye protection

If risk of splashing, wear safety goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Skin protection

Wear apron or protective clothing in case of contact. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



TUBING CLEAN 1

Page 4 of 6



Issued: 11/08/2012

| 9.1. Information on basic physical and chemical properties | | |
|--|---------------|--|
| Appearance | Liquid | |
| Colour | Light yellow | |
| Odour | Chlorine odor | |

| Odour | Chlorine odor |
|---|--|
| рН | 11.9 |
| Solubility | soluble in water. |
| Initial boiling point and boiling range | Not determined |
| Melting point (°C) | Not determined |
| Relative density | Not determined |
| Vapour density (air=1) | Not determined |
| Vapour pressure | Not determined |
| Evaporation rate | Not determined |
| Viscosity | Not determined |
| Solubility Value (G/100G H2O@20°C) | Not determined |
| Decomposition temperature (°C) | Not determined |
| Flash point | Not applicable |
| Auto Ignition Temperature (°C) | Not determined |
| Flammability Limit - Lower(%) | Not applicable |
| Flammability Limit - Upper(%) | Not applicable |
| Partition Coefficient | |
| (N-Octanol/Water) | Not determined |
| Explosive properties | Not applicable |
| Oxidising properties | Does not meet the criteria for oxidizing |

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Not determined

10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials Materials To Avoid

Strong acid

10.6. Hazardous decomposition products None under normal conditions

SECTION 11: TOXICOLOGICAL INFORMATION

| Toxicological information | No information available |
|---|---|
| Acute Toxicity (Oral LD50) | Not determined |
| Skin Corrosion/Irritation: | |
| Human Skin Model Test | Not determined |
| Serious eye damage/irritation: | |
| Moderate eye irritation | Not determined |
| Respiratory sensitization | Did not cause sensitization on laboratory animals |
| Skin sensitization | Did not cause sensitization on laboratory animals |
| Germ cell mutagenicity (In Vitro): | Not mutagenic in Ames Test |
| Carcinogenicity | Not determined |
| Reproductive Toxicity – Fertility | Not determined |
| Specific target organ toxicity - single | e exposure: |
| STOT - Single exposure | Not determined |
| | |



TUBING CLEAN 1

ImPath

Issued: 11/08/2012

Page 5 of 6

Specific target organ toxicity - repeated exposure: STOT - Repeated exposure Not determined Aspiration hazard Not determined Inhalation May be harmful if inhaled. Causes respiratory tract irritation Ingestion May be harmful if swallowed. Skin contact May be harmful if absorbed through skin. Causes skin irritation. Eye contact Causes eye irritation. Health Warnings Not determined Route of entry Ingestion. Skin and/or eye contact.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity Acute Fish Toxicity

LC50 - Not determined

12.2. Persistence and degradability Degradability

This product is expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is miscible in water.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORTATION INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,ADR/RID).Road Transport NotesNot ClassifiedRail Transport NotesNot classifiedSea Transport NotesNot classifiedAir Transport NotesNot classified

14.1. UN number

Not applicable.

14.2. UN proper shipping name Not applicable.

14.3. Transport hazard class(es)



TUBING CLEAN 1

Page 6 of 6



Issued: 11/08/2012

Not applicable.

14.4. Packing group Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user None

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes Workplace Exposure Limits EH40.

EU Legislation

Regulation (EU) No 453/2010 of 20 May 2010 Annex II and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

| General information SDS No.: | only trained personnel should use this material. Revision No. 1 |
|---------------------------------|--|
| Date: | 11/08/2012 |
| Risk Phrases In Full | |
| R31 | Contact with acids liberates toxic gas |
| R50 | Very toxic to aquatic organisms |
| R36/38 | Irritating to eyes and skin |
| Hazard Statements In Full | |
| H303 | May be harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H402 | Harmful to aquatic life |

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



TUBING CLEAN 2

Page 1 of 6

Issued: 11/08/2012

Revision No: 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product: Catalog No.:

Tubing Clean 2 PC742-2

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Tubing Cleaning on Pathcom slide stainer

Warning

1.3. Details of the supplier of the safety data sheet

MANUFACTURER PathCom Systems, Inc. 6759 Sierra Ct. Ste#B Dublin, CA 94568

EMAIL ADDRESS info@pathcomx.com

DISTRIBUTOR Menarini Diagnostics LTD 405 Wharfedale Road, Winnersh-Workingham Berkshire RG415RA

1.4. Emergency telephone number Tel. 925-829-5500 (9 am-6 pm PST, M-F)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

| Physical and Chemical Hazards | |
|-------------------------------|--|
| Human health | |
| Environment | |
| Not classified | |

Not classified Not classified Not classified

Classification (1999/45/EEC)

2.2. Label elements

Signal word

| Contains | SULFURIC ACID |
|----------------------------------|---------------|
| Label In Accordance With (EC) No | . 1272/2008 |



Hazard statement(s) H315 Causes skin irritation May cause an allergic skin reaction H317 H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Precautionary statement(s) P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. Supplementary Precautionary Statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash ... thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P302+352 IF ON SKIN: Wash with plenty of soap and water. P321 Specific treatment (see ... on this label). P332+313 If skin irritation occurs: Get medical advice/attention.



TUBING CLEAN 2

Page 2 of 6



Issued: 11/08/2012

If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Collect spillage. Dispose of contents/container to ...

2.3. Other hazards None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| d-LIMONENE | 95-100% |
|---|---|
| CAS-No.: 5989-27-5 | EC No.:227-813-5 |
| Classification (EC 1272/2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | Classification (67/548/EEC) R10 R43 Xi;R38 N;R50/53 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

P333+313

P362

P363

P391

P501

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues. If breathing stops, provide artificial respiration. Get medical attention immediately!

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing. Continue to rinse for at least 15 minutes. Obtain medical attention and bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

May cause coughing or mild irritation.

Ingestion May cause discomfort if swallowed.

Skin contact

Skin contact may cause redness and irritation.

Eye contact

May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing mediaExtinguishing mediaThis product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products None under normal conditions. Unusual Fire & Explosion Hazards None.



TUBING CLEAN 2

Page 3 of 6



Issued: 11/08/2012

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective Measures In Fire

Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of spray mist and contact with skin and eyes. Use protective gloves, goggles and suitable protective clothing. For personal protection, see section 8.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb spillage with suitable absorbent material. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Store at specified temperature. Refer to product label. Storage Class: Refer to product datasheet.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name:d-LIMONENEWorkplace Exposure LimitUK - 8 hour TWA: Not determined

8.2. Exposure controls

Protective equipment

Impermeable gloves and safety glasses

Process conditions

Provide eyewash station.

Engineering measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of spray.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand protection

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye protection

If risk of splashing, wear safety goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Skin protection



UK - 15 min. STEL: Not determined

TUBING CLEAN 2

Page 4 of 6



Issued: 11/08/2012

Wear apron or protective clothing in case of contact. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| •••••••••••••••••••••••••••••••••••••• | |
|---|--|
| Appearance | Liquid |
| Colour | Colorless to pale yellow |
| Odour | Citrus odor |
| рН | Not determined |
| Solubility | soluble in water. |
| Initial boiling point and boiling range | Not determined |
| Melting point (°C) | Not determined |
| Relative density | Not determined |
| Vapour density (air=1) | Not determined |
| Vapour pressure | Not determined |
| Evaporation rate | Not determined |
| Viscosity | Not determined |
| Solubility Value (G/100G H2O@20°C) | Not determined |
| Decomposition temperature (°C) | Not determined |
| Flash point | Not applicable |
| Auto Ignition Temperature (°C) | Not determined |
| Flammability Limit - Lower(%) | Not applicable |
| Flammability Limit - Upper(%) | Not applicable |
| Partition Coefficient | |
| (N-Octanol/Water) | Not determined |
| Explosive properties | Not applicable |
| Oxidising properties | Does not meet the criteria for oxidizing |
| | |

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Not determined

10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials Materials To Avoid Strong alkaline

10.6. Hazardous decomposition products None under normal conditions

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

| TT.T. Information on toxicological | enects |
|------------------------------------|---|
| Toxicological information | No information available |
| Acute Toxicity (Oral LD50) | Not determined |
| Skin Corrosion/Irritation: | |
| Human Skin Model Test | Not determined |
| Serious eye damage/irritation: | |
| Moderate eye irritation | Not determined |
| Respiratory sensitization | Did not cause sensitization on laboratory animals |
| Skin sensitization | Did not cause sensitization on laboratory animals |
| Germ cell mutagenicity (In Vitro): | Not mutagenic in Ames Test |
| Carcinogenicity | Not determined |
| | |



TUBING CLEAN 2

ImPath

Issued: 11/08/2012

Page 5 of 6

Reproductive Toxicity - Fertility Not determined Specific target organ toxicity - single exposure: STOT - Single exposure Not determined Specific target organ toxicity - repeated exposure: STOT - Repeated exposure Not determined Aspiration hazard Not determined Inhalation May be harmful if inhaled. Causes respiratory tract irritation Ingestion May be harmful if swallowed. Skin contact May be harmful if absorbed through skin. Causes skin irritation. Eye contact Causes eye irritation. Health Warnings Not determined Route of entry Ingestion. Skin and/or eye contact. SECTION 12: ECOLOGICAL INFORMATION Ecotoxicity There are no data on the ecotoxicity of this product. 12.1. Toxicity Acute Fish Toxicity LC50 - 4400 mg/l (rat)

12.2. Persistence and degradability

Degradability

This product is expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil Mobility:

The product is miscible in water.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORTATION INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,ADR/RID). Road Transport Notes Not Classified

Not classified Not classified Not classified Not classified

14.1. UN number Not applicable.

Rail Transport Notes Sea Transport Notes

Air Transport Notes

14.2. UN proper shipping name



TUBING CLEAN 2

Page 6 of 6



Issued: 11/08/2012

Not applicable.

14.3. Transport hazard class(es) Not applicable.

14.4. Packing group Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user None

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EU) No 453/2010 of 20 May 2010 Annex II and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

| General information | only trained personnel should use this material. |
|---------------------------|--|
| SDS No.: | Revision No. 1 |
| Date: | 11/08/2012 |
| Risk Phrases In Full | |
| R10 | Flammable. |
| R38 | Irritating to skin. |
| R43 | May cause sensitization by skin contact. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| Hazard Statements In Full | |
| H315 | Causes skin irritation. |
| H226 | Flammable liquid and vapor. |
| H317 | May cause an allergic skin reaction. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H400 | Very toxic to aquatic life. |

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

